

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S96	10233	(skew\$3 slant\$3 tilt\$3) same (head transducer element) same (minimum min)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:55
S98	104117	"360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:04
S99	75	S97 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:04
S97	1117	((skew\$3 slant\$3 tilt\$3) near5 angle) same (head transducer element) same (minimum min)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:05
S100	316	((skew\$3 slant\$3 tilt\$3) near5 "45") same (head transducer element) same (minimum min)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:06
S101	6	S98 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:06
S103	88	S98 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:06
S102	5062	((skew\$3 slant\$3 tilt\$3) near5 "45") same (head transducer element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:09

aw
10/5/05

S10 5	1265	S98 AND S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:09
S10 4	25336	((skew\$3 slant\$3 tilt\$3) near5 (angle degrees)) same (head transducer element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:10
S10 7	78	S98 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:10
S10 6	1304	((skew\$3 slant\$3 tilt\$3) near5 (angle degrees)) same (head transducer element) same (minimum min)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:49
S10 8	408	((skew\$3 slant\$3 tilt\$3) near5 (larg\$3 high\$3 great\$4)) same (head transducer element) same (minimum min)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:50
S10 9	6518	((skew\$3 slant\$3 tilt\$3) near5 (larg\$3 high\$3 great\$4)) same (head transducer element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:50
S11 0	364	S98 and S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:50
S11 1	2510	((skew\$3 slant\$3 tilt\$3) near5 (larg\$3 high\$3 great\$4)) with (head transducer element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 11:51

S11 2	199	S98 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:42
----------	-----	--------------	---	----	----	------------------